


SHOW AIR

Office Type Air Cushion Machine

Product has passed the National 3C and certificate CE
Please read the instruction before using the machine

 <https://www.showairpack.com>

 NO.178,B building,JinMa Mansion,Xueqing Road,Haidian
Distirct,Beijing,China,100083



Show Air (Beijing) Technology Co.,LTD
Logistics Buffer Packaging Solutions

>> Product Introduction

Thank you for choosing our Office Type of Air Cushion Air Column AIO machine!.

This product is one of our company' s self-developed inflator series,small in appearance, powerful in function,simple in use,safe and reliable.It has strong compatibility that provides service for many regulations and types of roll;The machine adopts imported original parts,which makes the machine run dfficiently and stably and intelligently.According to different types of film roll,the air volume and temperature are adjusted to make the bubble bag fully inflated and sealed firmly.

>> Product accessories

Machine Body*1 Power Adapter*1 Product Instruction*1 Warranty Card*1 Toolbox*1
Heating belt*2 Blade*1



★ The above parts are fragile.Please keep them safe.

>> Product Parameters

BRAND	SHOWAIR	TYPE	LPB-05
VOLTAGE	110V/230V	POWER	180W
WEIGHT	7kg	SPEED	8-15m/min
SIZE	L310*W300*H240(mm)		

This air cushion can provide service for these rolls:



Air Cushion



Air Bubble



Air Column 3/5 row





Product Components



Operation process:

1



Insert power ,and turn on the power switch



Raise the emergency button clockwise (leave onby default)

2



Place the roll, with the side of the tunnel facing inward



Open the roll wind tunnel and insert to the machine air tunnel

3



★ when the roll film is halfway through, press the enter film button and pull the roll film forward until the roll film passes through the wind tunnel completely

4



Set parameters and press the start button (see the following table for detailed setting parameters)



Scan to watch video detail

	Air cushion	Air bubble	Air column 3 row	Air column 5 row
TEMP	180	180	180	180
INFLATION	65	90	90	90
SPEED	S	S	S	S



Attention

» All contents of this project are related to safety, Please be sure to comply

» The attention items in this project are mainly for the correct use of this products. The attention items explain the danger, the extent of the harm, and the possible accidents.

1. Before use, check whether the rated voltage of the product nameplate is consistent with the voltage of the voltage you use

2. Please use grounded power to ensure personal safety

3. Please do not touch the heating belt with your hand during use to avoid scalding

4. Children and incapacitated persons should use the product under the supervision of the guardian

5. After unplugging, remember to turn off the switch button

6. Please don't use other parts without the permission of the manufacturer, and the warranty will be

⚠ Warning: Failure to follow instructions can be dangerous

⚠ Attention: unauthorized operation may damage your goods and property



Common problems

1. The machine can not be started

Problem resolutions: check if the emergency button is on

2. In the process of inflation, the film was blown out of the tunnel, so that the bag is stuck and can not be inflated. A: the air volume is too large that the bag is blown off the side and out of the tunnel. B: the speed is too slow that the air volume is too high and the bag blows out of the airway. The occurrence of this problem is generally caused by too much wind volume, as long as the wind volume and speed are well matched. C: Check whether the blade position is loose or damaged. If there is any damage, please replace the blade.

3. The machine stops automatically after blowing for a while

Problem analysis: whether the machine has set the number of inflatable meters. Set MTR to 0.

The purple machine has an automatic protection system, which stops when it reaches a certain temperature.

4. Air leakage after filling

A:the mouth of the bag is not sealed.Check the temperature setting.The temperture seting is too low,turn the temperture up.

B:the mouth of the bag is burnt out.Check the temperature parameters.The temperature is too high,turn it down.

C:Check whether the belt is damaged.If damaged,please replace the belt.



The warranty

- 1.Implement the 18 month warranty,the company will be responsible for the free warranty of products within the warranty period.
- 2.The starting date of the warranty period shall be the invoice date of the product
- 3.Please show warranty card when repairing
- 4.In one of the following cases,it is not within the scope of free maintenance
 - Failure due to self-assembly and repair
 - Failure due to self-assembly and repair
 - Commercial display of samples,handling products,performance overload test products.



+86-010-82395362



sales@ashowair.com



NO.178,B building,JinMa Mansion,Xueqing Road,Haidian Distirct,Beijing,China,100083



<http://www.showairpack.com>